

**Interview Summary:**

The Examiner suggested the following amendments to make the application in condition for allowance:

(1) Amend the last four lines of claim 1 as follows:

“inner wall of the housing via at least one coupling device comprising at least one rib in the housing, extending in a lengthwise direction and at least one groove on the holder extending in the lengthwise direction, wherein the at least one rib is slidingly associated with and guided in the at least one groove.”

(2) Cancel claim 8 – it is only duplicating claim 1 and amend independent claim 24 to include the above limitation.

(3) Cancel or rejoin and amend the withdrawn claims to include this limitation of claim 1.

Amendment to claim 1 as above is needed to overcome (1) 112/2 issue of not properly linking the structural elements, and (2) overcome the prior arts – see Baudet and Dannenmaier (fig 8) below – has the groove and the rib in the holders/housing.

Applicant's representative requested a couple of days for a response to consult the client /inventor.

This interview summary is also hereby fax-transmitted to the applicant's representative Mr. John Fitzgerald at (703) 668-8200.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Krishnan S. Menon whose telephone number is 571-272-1143. The examiner can normally be reached on 8:00-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vickie Kim can be reached on 571-272-0579. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Krishnan S Menon/  
Primary Examiner, Art Unit 1797